

CONSTRUCTION PRODUCTS REGULATION Declaration of Performance

(REGULATION (EU) No 305/2011, ANNEX III as amended by the regulation No 574/2014 EU)

Nº Trend-TN/2018

- 1. Unique identification code of the product-type: Section Garage Door type Trend-TN without a wicket door trade mark ALUTECH in combination with automation systems trade mark ALUTECH
- 2. Intended use: external door for vehicle access
- 3. Manufacturer: **Alutech Doors Systems LLC**, Selitskogo str., 10-508, 220075, FEZ «Minsk», Minsk region, Minsk area, Republic of Belarus
- 4. Authorised representative: **Alutech Systems s.r.o.**, CTPark Bor, Nova Hospoda 19, 348 02 Bor u Tachova, Czech Republic
- 5. System/s of AVCP: System 3
- 6. Harmonised standard: EN 13241-1:2003+ A1:2011

Notified bodies: TÜV SÜD Czech s.r.o. (1017), ift. Rosenheim GmbH (0757), TUV NORD CERT GmbH (0044)

7. Declared performances:

Characteristics	Technical class / Conformance	Harmonised standard
Watertightness	class 2	
Release of dangerous substances	Pass	
Resistance to wind load*	class 3	
Thermal transmittance**	1,527 W/(m ² K)	EN 13241-
Air permeability	class 5	1:2003+ A1:2011
Safe operating	pass	
Definition of geometry of glass components	npd	
Mechanical resistance and stability	pass	
Operating forces (for power operated doors)	pass	
Durability of the performance characteristics	25000	

^{*} The values are calculated for 3000x2625 mm size door on the basis of tests at TUV NORD CERT GmbH (0044), Test report № 17 795 473407 001 dated 19.10.2017

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

*	Sergey Kogolenok – Di	rector
	(name and function)	SON MONNO SON
Minsk, 04/04/2018		Anorex Solution Solution
(place and date of issue)		(signature)
		The state of the s

^{**}The values are calculated for 3000x2625 mm size door on the basis of tests at ift. Rosenheim GmbH (0757), Test Reports №15-001478-PR10 dated 29.07.2015, №. 15-001478-PR11 dated 23.07.15