

## CONSTRUCTION PRODUCTS REGULATION Declaration of Performance

(REGULATION (EU) No 305/2011, ANNEX III as amended by the regulation No 574/2014 EU)

## Nº Trend-TS/2018

- 1. Unique identification code of the product-type: Section Garage Door type Trend-TS trade mark ALUTECH in combination with automation systems trade mark ALUTECH
- 2. Intended use: external door for vehicle access
- 3. Manufacturer: **Alutech Doors Systems LLC**, Selitskogo str., 10-508, 220075, FEZ «Minsk», Minsk region, Minsk area, Republic of Belarus
- 4. Authorised representative: **Alutech Systems s.r.o.**, CTPark Bor, Nova Hospoda 19, 348 02 Bor u Tachova, Czech Republic
- 5. System/s of AVCP: System 3
- 6. Harmonised standard: EN 13241-1:2003+ A1:2011

Notified bodies: TÜV SÜD Czech s.r.o. (1017), ift. Rosenheim GmbH (0757), TUV NORD CERT GmbH (0044)

7. Declared performances:

Characteristics	Technical class / Conformance		Harmonised
	with a wicket door	without a wicket door	standard
Watertightness	npd	class 2	
Release of dangerous substances	pass		
Resistance to wind load*	class 3	class 3	EN 13241- 1:2003+
Thermal transmittance**, W/(m²K)	1,634	1,336	
Air permeability	npd	class 3	
Safe opening	pass		A1:2011
Definition of geometry of glass components	npd		
Mechanical resistance and stability	pass		
Operating forces (for power operated doors)	pass		
Durability of the performance characteristics	25000 cycles		

<sup>\*</sup> The values are calculated for 4000x2500 mm size door on the basis of tests at TUV NORD CERT GmbH (0044), Test report № 17 795 473407 001 dated 19.10.2017

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

	Sergey Kogolenok – Director
	(name and function)
Minsk, 04/04/2018	Ворогные
(place and date of issue)	(signature)

<sup>\*\*</sup>The values are calculated for 6000x3000 mm size door on the basis of tests at ift. Rosenheim GmbH (0757), Test Reports No.15-001478-PR08 from 24/07/2015, No. 15-001478-PR10 from 29/07/15, No. 15-001478-PR11 from 23/07/15